




idealer® Products 艾迪贝尔科技



艾迪贝尔科技

Ideal Bell Technology



WORK TOGETHER WITH YOU

浙江艾迪贝尔科技有限公司

地址：中国浙江省 磐安工业园区 环城南路 56 号
电话：0086 - 574 - 8725 1225
传真：0086 - 574 - 8725 1216
电邮：sales@ideal-bell.com
网址：www.ideal-bell.com

Zhejiang Ideal Bell Technology Co.,Ltd.

Add: No.56 South Huancheng Road, Panan Industrial Park, Zhejiang Province, China
Tel : 0086 - 574 - 8725 1225
Fax: 0086 - 574 - 8725 1216
E-mail: sales@ideal-bell.com
Website: www.ideal-bell.com

www.ideal-bell.com

Certifications

公司证书

www.ideal-bell.com



Company Prolife

公司简介

艾迪贝尔是一家集生产销售和技术服务为一体的公司，成立于 2007 年。生产基地位于浙江磐安工业园区，占地面积 10000 平方米，在业内率先使用全自动装配设备，无尘化车间以及标准化实验室等，具有年生产 2500 万个产品的能力。

艾迪贝尔专业提供气动接头，气缸，电磁阀，气源处理件，气管，消声器等产品。这些产品广泛用于汽车制造，工业自动化，冶金，建筑，医疗，包装机械等行业。


艾迪贝尔自成立以来一直贯彻质量是企业唯一生命线。为此，公司通过 ISO9001：2008，并建立专业的质量管理体系和生产流程保证产品的长期稳定性，同时通过 CE、SGS 等产品认证。多年来艾迪贝尔生产的“IDEALER”品牌系列气动产品已远销欧洲，北美洲，南美洲，亚洲，中东等 40 多个国家和地区。深受众多客户的认可和信赖。

Ideal-bell originated in 2007 as a professional manufacturer of pneumatic components. We owning and operating “IDEALER” trademark fittings, but also is experienced in ODM & OEM service.

We offer a wide range of products to satisfy your requirements. Such as Push in fittings, Pneumatic Cylinders, Solenoid valves, Air source Unit, Air Tube, Muffler & air gun etc., which are widely used in automotive industry, auto-machinery, environmental protection, medical equipments, construction, and packaging industries and so on.

Ideal Bell production plant locates in Panan Industrial park, Jinhua, which is 2 hours away from Ningbo port. It covers 10000m², equipped with dust-free work shop & auto assembly lines & modernized laboratory, annual production capacity reaches 25 million pcs. Quality is the priority of Ideal bell, cost efficiency constant! In order to earning that, we passed ISO9001:2008 to standardize our production procedure and quality control system, also getting CE, SGS, etc. certifications. Our goods are well recognized in world market, such as Europe, South America, North America, Asia, Middle East, etc.

To work better with our customers, we will continually develop new and innovative solutions to meet your needs. Our experienced staff and high equipped facility enabled us to support you competitive in your market!




Stainless Steel Fittings

不锈钢快插接头



Features/ 特征

Stainless Steel Fittings suitable for all those applications where brass nickel-plated and acetal fittings are banned, the new AISI 316L fitting is conceived to withstand corrosive environments (substances), to channel aggressive fluids and to be used in the food and chemical industries. Stainless Steel fittings line is standard equipped with Viton seals that will assure endurance at the highest temperatures.



Specifications/ 技术规格

Applicable Fluid Type	Air, Water,Vacuum	
Working Pressure Range	-14 ~225 PSI	-0.99~ 15 Bar
Working Temperature Range	5 °F ~428 °F	-15°C ~220°C
Vacuum Rating	to 750mmHg	
Recommanged Tubings	PA11, PA12, PA6, PE, PU,PTFE,FEP	
Applications	Pneumatics, Food Industry, Chemical, Medical and Pharmaceutical Industry	

Tube Outside Diameter You Can Choose As Follows:

您可以选择的气管外径尺寸如下：

	Metric Size/ 公制尺寸					Inch Size/ 英制尺寸				
Code No. 代码	4	6	8	10	12	5/32	1/4	5/16	3/8	1/2
Tube Outside Dia 气管外径	φ4	φ6	φ8	φ10	φ12	φ5/32	φ1/4	φ5/16	φ3/8	φ1/2

Thread Size For Your Choice As Follows:


您可以选择的螺纹尺寸如下：

Code No. 代码					
M5	M6	01	02	03	04
Thread Size 螺纹尺寸					
M5	M6	1/8	1/4	3/8	1/2

Stainless Steel Fittings


不锈钢快插接头

SSPC



Item Code	A	B	C	D	SW
SSPC4-M5	20.1	4	M5	3.5	10
SSPC4-M6	21.1	4	M6	4.5	10
SSPC6-M5	20.7	6	M5	3.5	12
SSPC6-M6	21.7	6	M6	4.5	12
SSPC5/32-M5	20.1	5/32	M5	3.5	10
SSPC5/32-U10	20.1	5/32	U10-32	3.5	10
SSPC5/32-M6	21.1	5/32	M6	4.5	10
SSPC1/4-M5	20.7	1/4	M5	3.5	12
SSPC1/4-U10	20.7	1/4	U10-32	3.5	12
SSPC1/4-M6	21.7	1/4	M6	4.5	12
SSPC1/4-U01	24.7	1/4	UN1/8	6	14


SSPC



Item Code	A	B	C	D	SW
SSPC4-01	20.7	4	PT 1/8	8	10
SSPC4-02	24.1	4	PT 1/4	11	14
SSPC6-01	20.7	6	PT 1/8	8	12
SSPC6-02	24.7	6	PT 1/4	11	14
SSPC6-03	25.7	6	PT 3/8	12	19
SSPC6-04	30.7	6	PT 1/2	15	22
SSPC8-01	27	8	PT 1/8	8	14
SSPC8-02	25	8	PT 1/4	11	14
SSPC8-03	26	8	PT 3/8	12	19
SSPC8-04	31	8	PT 1/2	15	22
SSPC10-01	29.7	10	PT 1/8	8	17
SSPC10-02	32.2	10	PT 1/4	11	17
SSPC10-03	32.5	10	PT 3/8	12	19
SSPC10-04	36.5	10	PT 1/2	15	22
SSPC12-02	34.7	12	PT 1/4	11	19
SSPC12-03	34.7	12	PT 3/8	12	19
SSPC12-04	38.7	12	PT 1/2	15	22


Item Code	A	B	C	D	SW
SSPC5/32-N01	20.7	5/32	NPT 1/8	8	10
SSPC5/32-N02	24.1	5/32	NPT 1/4	11	14
SSPC1/4-N01	20.7	1/4	NPT 1/8	8	12
SSPC1/4-N02	24.7	1/4	NPT 1/4	11	14
SSPC1/4-N03	25.7	1/4	NPT 3/8	12	14
SSPC1/4-N04	30.7	1/4	NPT 1/2	15	22
SSPC5/16-N01	27	5/16	NPT 1/8	8	14
SSPC5/16-N02	25	5/16	NPT 1/4	11	14
SSPC5/16-N03	26	5/16	NPT 3/8	12	19
SSPC5/16-N04	31	5/16	NPT 1/2	15	22
SSPC3/8-N01	29.2	3/8	NPT 1/8	8	17
SSPC3/8-N02	31.7	3/8	NPT 1/4	11	17
SSPC3/8-N03	31.7	3/8	NPT 3/8	12	19
SSPC3/8-N04	35.7	3/8	NPT 1/2	15	22
SSPC1/2-N02	34.7	1/2	NPT 1/4	11	19
SSPC1/2-N03	34.7	1/2	NPT 3/8	12	19
SSPC1/2-N04	38.7	1/2	NPT 1/2	15	22

SSPC



Item Code	A	B	C	D	SW
SSPC4-G01	22	4	G 1/8	5.5	14
SSPC4-G02	23.9	4	G 1/4	7	17
SSPC6-G01	20.8	6	G 1/8	5.5	14
SSPC6-G02	20.8	6	G 1/4	7	17
SSPC6-G03	20.8	6	G 3/8	8	19
SSPC6-G04	23.7	6	G 1/2	9	24
SSPC8-G01	27.8	8	G 1/8	5.5	14
SSPC8-G02	22.8	8	G 1/4	7	17
SSPC8-G03	23.8	8	G 3/8	8	19
SSPC8-G04	22.8	8	G 1/2	9	24
SSPC10-G01	27.8	10	G 1/8	5.5	17
SSPC10-G02	29.8	10	G 1/4	7	17
SSPC10-G03	30.8	10	G 3/8	8	19
SSPC10-G04	24.8	10	G 1/2	9	21
SSPC12-G02	31.6	12	G 1/4	7	19
SSPC12-G03	32.6	12	G 3/8	8	19
SSPC12-G04	27.6	12	G 1/2	9	24

SSPCF




Item Code	A	B	C	D	SW
SSPCF4-M5	23.6	4	M5	7	12
SSPCF4-M6	23.6	4	M6	7	12
SSPCF6-M5	23.7	6	M5	7	12
SSPCF6-M6	23.7	6	M6	7	12
SSPCF4-01	24.6	4	PT 1/8	8	14
SSPCF4-02	27.6	4	PT 1/4	11	17
SSPCF6-01	24.7	6	PT 1/8	8	14
SSPCF6-02	27.7	6	PT 1/4	11	17
SSPCF6-03	28.7	6	PT 3/8	12	19
SSPCF6-04	31.7	6	PT 1/2	15	24
SSPCF8-01	26.3	8	PT 1/8	8	14
SSPCF8-02	29.3	8	PT 1/4	11	17
SSPCF8-03	30.3	8	PT 3/8	12	19
SSPCF8-04	33.3	8	PT 1/2	15	24
SSPCF10-01	28.9	10	PT 1/8	8	17
SSPCF10-02	31.9	10	PT 1/4	11	17
SSPCF10-03	32.9	10	PT 3/8	12	19
SSPCF10-04	35.9	10	PT 1/2	15	24
SSPCF12-02	34.1	12	PT 1/4	11	21
SSPCF12-03	35.1	12	PT 3/8	12	21
SSPCF12-04	38.1	12	PT 1/2	15	24

SSPCF5/32-M5	23.6	5/32	M5	7	12
SSPCF5/32-M6	23.6	5/32	M6	7	12
SSPCF1/4-M5	23.7	1/4	M5	7	12
SSPCF1/4-M6	23.7	1/4	M6	7	12
SSPCF5/32-N01	24.6	5/32	NPT 1/8	8	14
SSPCF5/32-N02	27.6	5/32	NPT 1/4	11	17
SSPCF1/4-N01	24.7	1/4	NPT 1/8	8	14
SSPCF1/4-N02	27.7	1/4	NPT 1/4	11	17
SSPCF5/16-N01	26.3	5/16	NPT 1/8	8	14
SSPCF5/16-N02	29.3	5/16	NPT 1/4	11	17
SSPCF5/16-N03	30.3	5/16	NPT 3/8	12	19
SSPCF5/16-N04	33.3	5/16	NPT 1/2	15	24
SSPCF3/8-N01	28.9	3/8	NPT 1/8	8	17
SSPCF3/8-N02	31.9	3/8	NPT 1/4	11	17
SSPCF3/8-N03	32.9	3/8	NPT 3/8	12	19
SSPCF3/8-N04	35.9	3/8	NPT 1/2	15	24
SSPCF1/2-N02	34.1	1/2	NPT 1/4	11	21
SSPCF1/2-N03	35.1	1/2	NPT 3/8	12	21
SSPCF1/2-N04	38.1	1/2	NPT 1/2	15	24

Stainless Steel Fittings


不锈钢快插接头

SSPCF




Item Code	A	B	C	D	SW
SSPCF4-G01	24.4	4	G 1/8	8	14
SSPCF4-G02	27.4	4	G 1/4	11	17
SSPCF6-G01	24.7	6	G 1/8	8	14
SSPCF6-G02	27.7	6	G 1/4	11	17
SSPCF8-G01	26.8	8	G 1/8	8	14
SSPCF8-G02	29.8	8	G 1/4	11	17
SSPCF8-G03	30.8	8	G 3/8	12	19
SSPCF8-G04	33.5	8	G 1/2	15	24
SSPCF10-G01	28.9	10	G 1/8	8	17
SSPCF10-G02	31.9	10	G 1/4	11	17
SSPCF10-G03	32.9	10	G 3/8	12	19
SSPCF10-G04	35.9	10	G 1/2	15	24
SSPCF12-G02	34.1	12	G 1/4	11	21
SSPCF12-G03	35.1	12	G 3/8	12	21
SSPCF12-G04	38.1	12	G 1/2	15	24

SSPL




Item Code	A	B	C	D	E	F	G	SW
SSPL4-M5	18.6	4	M5	3.5	22.3	18.5	23.5	12
SSPL4-M6	18.6	4	M6	4.5	22.3	19.5	24.5	12
SSPL6-M5	18.7	6	M5	3.5	23.4	19.5	25.5	12
SSPL6-M6	18.7	6	M6	4.5	23.4	20.5	26.5	12
SSPL5/32-M5	18.6	5/32	M5	3.5	22.3	18.5	23.5	12
SSPL5/32-U10	18.6	5/32	U10-32	3.5	22.3	18.5	23.5	12
SSPL5/32-M6	18.6	5/32	M6	4.5	22.3	19.5	24.5	12
SSPL1/4-M5	18.7	1/4	M5	3.5	23.4	19.5	25.5	12
SSPL1/4-U10	18.7	1/4	U10-32	3.5	23.4	19.5	25.5	12
SSPL1/4-M6	18.7	1/4	M6	4.5	23.4	20.5	26.5	12
SSPL1/4-01U	18.7	1/4	UN1/8	6	23.4	22	28	14

SSPL




Item Code	A	B	C	D	E	F	G	SW
SSPL4-01	18.6	4	PT 1/8	8	22.3	20	25	12
SSPL4-02	18.6	4	PT 1/4	11	22.3	22.5	27.5	14
SSPL6-01	18.7	6	PT 1/8	8	23.4	21	27	12
SSPL6-02	18.7	6	PT 1/4	11	23.4	23.5	29.5	14
SSPL6-03	18.7	6	PT 3/8	12	23.4	26.5	32.5	19
SSPL6-04	18.7	6	PT 1/2	15	23.4	30.5	36.5	22
SSPL8-01	20	8	PT 1/8	8	25.2	22	29	12
SSPL8-02	20	8	PT 1/4	11	25.2	24.5	31.5	14
SSPL8-03	20	8	PT 3/8	12	25.2	27.5	34.5	19
SSPL8-04	20	8	PT 1/2	15	25.2	31.5	38.5	22
SSPL10-01	25.2	10	PT 1/8	8	31.7	28	36.5	17
SSPL10-02	25.2	10	PT 1/4	11	31.7	31	39.5	17
SSPL10-03	25.2	10	PT 3/8	12	31.7	31	39.5	19
SSPL10-04	25.2	10	PT 1/2	15	31.7	34	42.5	22
SSPL12-02	27.2	12	PT 1/4	11	34.9	32.3	42	17
SSPL12-03	27.2	12	PT 3/8	12	34.9	32.3	42	19
SSPL12-04	27.2	12	PT 1/2	15	34.9	35.3	45	22




Item Code	A	B	C	D	E	F	G	SW
SSPL5/32-N01	18.6	5/32	NPT 1/8	8	22.1	20	25	12
SSPL5/32-N02	18.6	5/32	NPT 1/4	11	22.1	22.5	27.5	14
SSPL1/4-N01	18.7	1/4	NPT 1/8	8	23.4	21	27	12
SSPL1/4-N02	18.7	1/4	NPT 1/4	11	23.4	20.5	26.5	14
SSPL1/4-N03	18.7	1/5	NPT 3/8	12	23.4	26.5	32.5	19
SSPL1/4-N04	18.7	1/6	NPT 1/2	15	23.4	30.5	36.5	22
SSPL5/16-N01	20	5/16	NPT 1/8	8	25.2	22	29	12
SSPL5/16-N02	20	5/16	NPT 1/4	11	25.2	24.5	31.5	14
SSPL5/16-N03	20	5/16	NPT 3/8	12	25.2	27.5	34.5	19
SSPL5/16-N04	20	5/16	NPT 1/2	15	25.2	31.5	38.5	22
SSPL3/8-N01	24.7	3/8	NPT 1/8	8	31.2	28	36.5	17
SSPL3/8-N02	24.7	3/8	NPT 1/4	11	31.2	31	39.5	17
SSPL3/8-N03	24.7	3/8	NPT 3/8	12	31.2	31	39.5	19
SSPL3/8-N04	24.7	3/8	NPT 1/2	15	31.2	34	42.5	22
SSPL1/2-N02	27.2	1/2	NPT 1/4	11	34.9	32.3	42	17
SSPL1/2-N03	27.2	1/2	NPT 3/8	12	34.9	32.3	42	19
SSPL1/2-N04	27.2	1/2	NPT 1/2	15	34.9	35.3	45	22

SSPL



Item Code	A	B	C	D	E	F	G	SW
SSPL4-G01	18.6	4	G 1/8	5.5	22.3	20.5	25.5	14
SSPL4-G02	18.6	4	G 1/4	7	22.3	20	25	17
SSPL6-G01	18.7	6	G 1/8	5.5	23.4	21.5	27.5	14
SSPL6-G02	18.7	6	G 1/4	7	23.4	21	27	17
SSPL6-G03	18.7	6	G 3/8	8	23.4	22	28	19
SSPL6-G04	18.7	6	G 1/2	9	23.4	23.5	29.5	24
SSPL8-G01	20	8	G 1/8	5.5	25.2	22.5	29.5	14
SSPL8-G02	20	8	G 1/4	7	25.2	22	29	17
SSPL8-G03	20	8	G 3/8	8	25.2	23	34	19
SSPL8-G04	20	8	G 1/2	9	25.2	24.5	35.5	24
SSPL10-G01	25.2	10	G 1/8	5.5	31.7	26.5	35	17
SSPL10-G02	25.2	10	G 1/4	7	31.7	27.5	36	17
SSPL10-G03	25.2	10	G 3/8	8	31.7	28.5	37	19
SSPL10-G04	25.2	10	G 1/2	9	31.7	29.5	38	24
SSPL12-G02	27.2	12	G 1/4	7	34.9	28.8	38.5	17
SSPL12-G03	27.2	12	G 3/8	8	34.9	26.3	36	19
SSPL12-G04	27.2	12	G 1/2	9	34.9	27.3	37	24

SSPT




Item Code	A	B	C	D	E	F	SW
SSPT4-M5	37.2	4	M5	3.5	18.5	23.5	12
SSPT4-M6	37.2	4	M6	4.5	19.5	24.5	12
SSPT6-M5	37.4	6	M5	3.5	19.5	25.5	12
SSPT6-M6	37.5	6	M6	4.5	20.5	26.5	12
SSPT5/32-M5	37.2	5/32	M5	3.5	18.5	23.5	12
SSPT5/32-U10	37.2	5/32	U10-32	3.5	18.5	23.5	12
SSPT5/32-M6	37.2	5/32	M6	4.5	19.5	24.5	12
SSPT1/4-M5	37.4	1/4	M5	3.5	19.5	25.5	12
SSPT1/4-U10	37.4	1/4	U10-32	3.5	19.5	25.5	12
SSPT1/4-M6	37.5	1/4	M6	4.5	20.5	26.5	12
SSPT1/4-U01	37.5	1/4	UN1/8	6	22	28	14

Stainless Steel Fittings

不锈钢快插接头


SSPT



Item Code	A	B	C	D	E	F	SW
SSPT4-01	37.2	4	PT 1/8	8	20	25	12
SSPT4-02	37.2	4	PT 1/4	11	22.5	27.5	14
SSPT6-01	37.4	6	PT 1/8	8	21	27	12
SSPT6-02	37.4	6	PT 1/4	11	23.5	29.5	14
SSPT6-03	37.4	6	PT 3/8	12	26.5	32.5	19
SSPT6-04	37.4	6	PT 1/2	15	30.5	36.5	22
SSPT8-01	40	8	PT 1/8	8	22	29	12
SSPT8-02	40	8	PT 1/4	11	24.5	31.5	14
SSPT8-03	40	8	PT 3/8	12	27.5	34.5	19
SSPT8-04	40	8	PT 1/2	15	31.5	38.5	22
SSPT10-01	45.4	10	PT 1/8	8	28	36.5	17
SSPT10-02	45.4	10	PT 1/4	11	31	39.5	17
SSPT10-03	45.4	10	PT 3/8	12	31	39.5	19
SSPT10-04	45.4	10	PT 1/2	15	34	42.5	22
SSPT12-02	54.4	12	PT 1/4	11	32.3	42	17
SSPT12-03	54.4	12	PT 3/8	12	32.3	42	19
SSPT12-04	54.4	12	PT 1/2	15	35.3	45	22

Item Code	A	B	C	D	E	F	SW
SSPT5/32-N01	37.2	5/32	NPT 1/8	8	20	25	12
SSPT5/32-N02	37.2	5/32	NPT 1/4	11	22.5	27.5	14
SSPT1/4-N01	37.4	1/4	NPT 1/8	8	21	27	12
SSPT1/4-N02	37.4	1/4	NPT 1/4	11	20.5	26.5	14
SSPT1/4-N03	37.4	1/4	NPT 3/8	12	26.5	32.5	19
SSPT1/4-N04	37.4	1/4	NPT 1/2	15	30.5	36.5	22
SSPT5/16-N01	40	5/16	NPT 1/8	8	22	29	12
SSPT5/16-N02	40	5/16	NPT 1/4	11	24.5	31.5	14
SSPT5/16-N03	40	5/16	NPT 3/8	12	27.5	34.5	19
SSPT5/16-N04	40	5/16	NPT 1/2	15	31.5	38.5	22
SSPT3/8-N01	45.4	3/8	NPT 1/8	8	28	36.5	17
SSPT3/8-N02	45.4	3/8	NPT 1/4	11	31	39.5	17
SSPT3/8-N03	45.4	3/8	NPT 3/8	12	31	39.5	19
SSPT3/8-N04	45.4	3/8	NPT 1/2	15	34	42.5	22
SSPT1/2-N02	54.4	1/2	NPT 1/4	11	32.3	42	17
SSPT1/2-N03	54.4	1/2	NPT 3/8	12	32.3	42	19
SSPT1/2-N04	54.4	1/2	NPT 1/2	15	35.3	45	22

SSPT



Item Code	A	B	C	D	E	F	SW
SSPT4-G01	37.2	4	G 1/8	8	20.5	25.5	14
SSPT4-G02	37.2	4	G 1/4	11	20	25	17
SSPT6-G01	37.4	6	G 1/8	8	21.5	27.5	14
SSPT6-G02	37.4	6	G 1/4	11	21	27	17
SSPT6-G03	37.4	6	G 3/8	12	22	28	19
SSPT6-G04	37.4	6	G 1/2	15	23.5	29.5	24
SSPT8-G01	40	8	G 1/8	8	22.5	29.5	14
SSPT8-G02	40	8	G 1/4	11	22	29	17
SSPT8-G03	40	8	G 3/8	12	23	34	19
SSPT8-G04	40	8	G 1/2	15	24.5	35.5	24
SSPT10-G01	45.4	10	G 1/8	31.7	26.5	35	17
SSPT10-G02	45.4	10	G 1/4	31.7	27.5	36	17
SSPT10-G03	45.4	10	G 3/8	31.7	28.5	27	19
SSPT10-G04	45.4	10	G 1/2	31.7	29.5	28	24
SSPT12-G02	54.4	12	G 1/4	34.9	28.8	38.5	17
SSPT12-G03	54.4	12	G 3/8	34.9	26.3	36	19
SSPT12-G04	54.4	12	G 1/2	34.9	27.3	37	24


SSPUC



Item Code	A	B	C
SSPUC4	32.4	10.5	4
SSPUC6	32.6	12.5	6
SSPUC8	35.6	14.5	8
SSPUC10	41.1	17.5	10
SSPUC12	44.7	19.5	12

Item Code	A	B	C
SSPUC5/32	32.4	10.5	5/32
SSPUC1/4	32.6	12.5	1/4
SSPUC5/16	35.6	14.5	5/16
SSPUC3/8	41.1	17.5	3/8
SSPUC1/2	44.7	19.5	1/2


SSPUL



Item Code	A	B	C	D
SSPUL4	18.6	22.3	10	4
SSPUL6	18.7	23.4	12	6
SSPUL8	20	25.2	14	8
SSPUL10	24.7	31.2	17	10
SSPUL12	27.2	34.9	19.5	12

Item Code	A	B	C	D
SSPUL5/32	18.6	22.3	10	5/32
SSPUL1/4	18.7	23.4	12	1/4
SSPUL5/16	20	25.2	14	5/16
SSPUL3/8	24.7	31.2	17	3/8
SSPUL1/2	27.2	34.9	19.5	1/2


SSPUT



Item Code	A	B	C	D
SSPUT4	37.2	18.6	10	4
SSPUT6	18.7	23.4	12	6
SSPUT8	20	25.2	14	8
SSPUT10	24.7	31.2	17	10
SSPUT12	27.2	34.9	19.5	12

Item Code	A	B	C	D
SSPUT5/32	18.6	22.3	10	5/32
SSPUT1/4	18.7	23.4	12	1/4
SSPUT5/16	20	25.2	14	5/16
SSPUT3/8	24.7	31.2	17	3/8
SSPUT1/2	27.2	34.9	19.5	1/2


SSPMM



Item Code	A	B	C	SW	MAX
SSPMM4	32.4	4	M12*1	14	9.5
SSPMM6	32.6	6	M14*1	17	9.5
SSPMM8	35.6	8	M16*1	19	12
SSPMM10	41.1	10	M20*1	24	14
SSPMM12	44.7	12	M22*1	26	17

Item Code	A	B	C	SW	MAX
SSPMM5/32	32.4	5/32	M12*1	14	9.5
SSPMM1/4	32.6	1/4	M14*1	17	9.5
SSPMM5/16	35.6	5/16	M16*1	19	12
SSPMM3/8	41.1	3/8	M20*1	24	14
SSPMM1/2	44.7	1/2	M22*1	26	17

SSPG



Item Code	A	B	C	D	E
SSPG12-10	42.9	10	12	17.5	19.5
SSPG10-8	38.4	8	10	14.5	17.5
SSPG8-6	34.1	6	8	12.5	14.5
SSPG6-4	28.8	4	6	12.5	10.5

Item Code	A	B	C	D	E
SSPG1/2-3/8	42.9	3/8	1/2	17.5	19.5
SSPG3/8-5/16	38.4	5/16	3/8	14.5	17.5
SSPG5/16-1/4	34.1	1/4	5/16	12.5	14.5
SSPG1/4-5/32	28.8	5/32	1/4	12.5	10.5